

Specification for

Butanone (ethyl methyl ketone) for industrial use

UDC 661.727.6

Confirmed
January 2011

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Chemicals Standards Committee (CIC/-) to Technical Committee CIC/51, upon which the following bodies were represented:

British Pharmacopoeia Commission
 British Society of Perfumers
 Chemical Industries Association
 Department of Trade and Industry (Laboratory of the Government Chemist)
 Royal Society of Chemistry

This British Standard, having been prepared under the direction of the Chemicals Standards Committee, was published under the authority of the Board of BSI and comes into effect on 28 August 1987

© BSI 12-1999

First published February 1953
 First revision February 1968
 Second revision August 1987

The following BSI references relate to the work on this standard:
 Committee reference CIC/51
 Draft for comment 85/55847 DC

ISBN 0 580 15820 9

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 Description	1
3 Sampling and size of sample	1
4 Colour	1
5 Density	1
6 Distillation range	1
7 Residue on evaporation	1
8 Water content	1
9 Acidity	1
10 Alcoholic impurities	1
<hr/>	
Appendix A Determination of distillation range	2
Appendix B Determination of acidity	2
Appendix C Determination of alcoholic impurities	2
<hr/>	
Publications referred to	Inside back cover
<hr/>	

Foreword

This British Standard, which has been prepared under the direction of the Chemicals Standards Committee, comprises a specification for butanone to meet the requirements of a wide range of industrial users.

This British Standard supersedes BS 1940:1968 which is withdrawn. In this revision of BS 1940 the requirement for water content has been made more stringent and the requirement for relative density has been replaced by one for density at 20 °C.

This British Standard is related to ISO 2497:1973 but is not equivalent in technical content. ISO 2497 is published by the International Organization for Standardization (ISO). ISO 2497 lists various general test methods and test methods specifically for butanone, and many of these methods correspond to those which are referred to in this British Standard; ISO 2497 does not specify limits for any of the properties of butanone.

Appendix B of this British Standard is related to ISO 2887:1973 but is not equivalent in technical content. ISO 2887 is published by ISO. The main differences are that in the method described in ISO 2887 the test portion is diluted with either ethanol or propan-2-ol and carbon dioxide is removed by passing a stream of nitrogen through the solution.

Appendix C of this British Standard is related to ISO 2501:1974 but is not equivalent in technical content. ISO 2501 is published by ISO. The main differences are that in the method described in ISO 2501 phenolphthalein is used as the indicator and the calculation of results includes a correction for the acidity of the sample.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 4, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

1 Scope

This British Standard specifies requirements for butanone suitable for industrial purposes.

NOTE The titles of the publications referred to in this standard are listed on the inside back cover.

2 Description

The material shall be clear and free from matter in suspension, as assessed by visual inspection, and shall consist essentially of butanone, $\text{CH}_3\text{COC}_2\text{H}_5$.

3 Sampling and size of sample¹⁾

A representative sample of the material measuring not less than 1 L shall be taken from the bulk for the purpose of examination in accordance with this standard. The sample shall be placed in a clean, dry and air-tight, ground glass-stoppered bottle, or screw-capped bottle fitted with a polyethylene cone insert, of such capacity that it is almost filled by the sample.

NOTE 1 When it is necessary to seal the container, care should be taken to avoid the risk of contaminating the contents in any way.

NOTE 2 Sufficient ullage should be left in the bottle to avoid excessive pressure changes that could arise from temperature variations during storage and handling. About 10 % ullage is recommended.

4 Colour

The colour of the material shall not exceed 10 Hazen units when measured by the method described in BS 5339.

5 Density

The density of the material at 20 °C, determined by the method described in BS 4522, shall be not lower than 0.803 g/mL and not higher than 0.805 g/mL.

6 Distillation range

When the material is distilled by the method described in BS 4591, modified as described in Appendix A, the initial boiling point at 1 013 mbar²⁾ pressure shall be not lower than 79.0 °C and the dry point at 1 013 mbar pressure shall be not higher than 81.0 °C.

7 Residue on evaporation

The residue on evaporation of the material shall not exceed 0.002 % (*m/m*) when determined by the method described in BS 4524.

8 Water content

The material shall contain not more than 0.15 % (*m/m*) of water when determined by one of the methods described in clause 5 of BS 2511:1970 using 20 mL of the material.

9 Acidity

The acidity of the material, calculated as acetic acid (CH_3COOH), shall not exceed 0.004 % (*m/m*) when determined by the method described in Appendix B.

10 Alcoholic impurities

The material shall contain not more than 0.7 % (*m/m*) of alcoholic impurities, calculated as butanol ($\text{C}_4\text{H}_9\text{OH}$), when determined by the method described in Appendix C.

¹⁾ Detailed information on the sampling of liquid chemical products is given in BS 5309-1 and BS 5309-3.

²⁾ 1 mbar = 100 N/m² = 100 Pa.

Appendix A Determination of distillation range

Determine the distillation range, in terms of the initial boiling point and the dry point, by the method described in BS 4591, using the following thermometer, distillation conditions and temperature corrections.

- a) *Thermometer* (3.2 of BS 4591:1971). Use a thermometer designated F 100C/100 complying with BS 593.
- b) *Distillation* (6.1 of BS 4591:1971). Regulate the rate of heating so that the first drop of distillate falls from the end of the condenser after 10 min to 15 min.
- c) *Corrections to be applied to observed temperatures* (7.2 of BS 4591:1971). If the corrected barometric pressure deviates from 1 013 mbar apply corrections to the observed temperatures by subtracting 0.028 °C for every millibar above 1 013 mbar, or adding 0.028 °C for every millibar below 1 013 mbar.

NOTE These corrections are valid only for pressures above 933 mbar.

Appendix B Determination of acidity

B.1 Principle

A test portion is diluted with carbon dioxide-free water and titrated with standard volumetric sodium hydroxide solution, using phenolphthalein as indicator.

B.2 Reagents

B.2.1 General. During the analysis, use only reagents of recognized analytical grade, only methylated spirits complying with BS 3591, and only water complying with BS 3978.

B.2.2 Sodium hydroxide, standard volumetric solution, $c(\text{NaOH}) = 0.100 \text{ mol/L}$.

B.2.3 Phenolphthalein, 5 g/L ethanolic solution. Dissolve 0.5 g of phenolphthalein in 100 mL of 95 % (V/V) ethanol, or 95 % (V/V) industrial methylated spirits, and add the sodium hydroxide solution (B.2.2) until a pale pink coloration is obtained.

NOTE It should be noted that the use of industrial methylated spirits is governed by The Methylated Spirits Regulations, 1983 (S.I. 1983 No. 252). It is not permissible to use duty-free ethanol, received under the provisions of The Alcoholic Liquor Duties Act 1979, Section 10, for purposes for which industrial methylated spirits is an acceptable alternative to ethanol.

B.3 Apparatus

B.3.1 Ordinary laboratory apparatus

B.3.2 Conical flask, of 500 mL capacity, of borosilicate glass, fitted with a ground glass stopper carrying a guard tube containing sodium hydroxide on an inert support (soda lime).

B.3.3 Burette, of 10 mL capacity, graduated in 0.02 mL divisions, complying with class A of BS 846.

B.4 Procedure

B.4.1 Test portion

Take $100 \pm 1 \text{ mL}$ of the sample, measured at 20 °C.

B.4.2 Determination

Place 100 mL of water and a few clean anti-bumping granules in the conical flask (B.3.2) and boil gently for 5 min to remove any carbon dioxide. Cool slightly and then add the test portion (B.4.1). Boil the mixture gently for a further 5 min. At the end of this period, insert the stopper and allow to cool to ambient temperature. Remove the stopper, add 0.5 mL of the phenolphthalein solution (B.2.3) and titrate with the sodium hydroxide solution (B.2.2), using the burette (B.3.3), until a pink coloration, persisting for about 15 s, is obtained. Stopper the flask and swirl its contents after each addition of sodium hydroxide solution.

B.5 Expression of results

The acidity A , expressed as a percentage by mass of acetic acid (CH_3COOH), is given by the equation:

$$A = \frac{0.006 V_1}{\rho}$$

where

V_1 is the volume of the sodium hydroxide solution used for the determination (in mL);

ρ is the density of the sample at 20 °C (determined by the method described in BS 4522) (in g/mL);

0.006 is the mass of acetic acid corresponding to 1.00 mL of sodium hydroxide solution, $c(\text{NaOH}) = 0.100 \text{ mol/L}$ (in g).

Appendix C Determination of alcoholic impurities

C.1 Principle

Any alcoholic impurities are acetylated by reaction with acetyl chloride. The amount of acetyl chloride that has reacted is determined by titration with standard volumetric sodium hydroxide solution, using 3,3-bis (4-hydroxy-1-naphthyl) phthalide (1-naphtholphthalein) as indicator, and the alcohol equivalent is calculated.

C.2 Reagents

C.2.1 General. During the analysis, use only reagents of recognized analytical grade, only methylated spirits complying with BS 3591, and only water complying with BS 3978.

C.2.2 Pyridine, dry.

C.2.3 Acetylating reagent. To 118 mL of acetyl chloride, add sufficient dry toluene to give a total volume of 1 000 mL.

C.2.4 Sodium hydroxide, standard volumetric solution, $c(\text{NaOH}) = 1.00 \text{ mol/L}$.

C.2.5 3,3-bis(4-hydroxy-1-naphthyl)phthalide indicator solution, 5 g/L ethanolic solution.

Dissolve 0.5 g of 3,3-bis(4-hydroxy-1-naphthyl)phthalide in 100 mL of 95 % (V/V) ethanol or 95 % (V/V) industrial methylated spirits.

NOTE It should be noted that the use of industrial methylated spirits is governed by The Methylated Spirits Regulations, 1983 (S.I. 1983 No. 252). It is not permissible to use duty-free ethanol, received under the provisions of The Alcoholic Liquor Duties Act 1979, Section 10, for purposes for which industrial methylated spirits is an acceptable alternative to ethanol.

C.3 Apparatus

C.3.1 Ordinary laboratory apparatus

C.3.2 Two conical flasks, of 250 mL capacity, fitted with ground glass stoppers.

C.3.3 Pipette, of 10 mL capacity, complying with class B of BS 1583, fitted with an automatic suction device.

C.3.4 Water bath, capable of being maintained at $60 \pm 1 \text{ }^\circ\text{C}$.

C.4 Procedure

C.4.1 Test portion

Take $25 \pm 0.1 \text{ mL}$ of the sample, measured at $20 \text{ }^\circ\text{C}$.

C.4.2 Determination

Dry the two conical flasks (C.3.2) and place 10.0 mL of the acetylating reagent (C.2.3) into each flask using the pipette (C.3.3). Add 2 mL of the pyridine (C.2.2) to each flask, immediately insert the stoppers tightly and mix the contents thoroughly without wetting the stoppers.

To one flask add the test portion (C.4.1), ensuring that all of it comes into contact with the acetylating reagent. Replace the stopper and mix the contents thoroughly without wetting the stopper.

Place both flasks in the water bath (C.3.4), maintained at $60 \pm 1 \text{ }^\circ\text{C}$, loosening the stoppers momentarily to release any pressure and then replacing them tightly. Keep the flasks in the water bath for 20 min, shaking them occasionally, then remove the flasks and cool them to ambient temperature.

Add 25 mL of water and 0.5 mL of the indicator solution (C.2.5) to each flask and then titrate the contents of each flask in turn with the sodium hydroxide solution (C.2.4) until the appearance of a faint blue colour.

C.5 Expression of results

The alcohol content B , expressed as a percentage by mass of butanol ($\text{C}_4\text{H}_9\text{OH}$), is given by the equation:

$$B = \frac{0.296 (V_1 - V_2)}{\rho}$$

where

V_1 is the volume of the sodium hydroxide solution used for the titration of the blank (in mL);

V_2 is the volume of the sodium hydroxide solution used for the titration of the test solution (in mL);

ρ is the density of the sample at $20 \text{ }^\circ\text{C}$ (determined by the method described in BS 4522) (in g/mL).

Publications referred to

BS 593, *Laboratory thermometers.*

BS 846, *Specification for burettes.*

BS 1583, *One-mark pipettes.*

BS 2511, *Methods for the determination of water (Karl Fischer method).*

BS 3591, *Specification for industrial methylated spirits.*

BS 3978, *Water for laboratory use.*

BS 4522, *Method for the determination of density of liquids at 20 °C.*

BS 4524, *Method for the determination of residue on evaporation on a water bath.*

BS 4591, *Method for the determination of distillation characteristics.*

BS 5309, *Methods for sampling chemical products.*

BS 5309-1, *Introduction and general principles.*

BS 5309-3, *Sampling of liquids.*

BS 5339, *Method of measurement of colour in Hazen units (platinum-cobalt scale) of liquid chemical products.*

ISO 2497, *Methyl ethyl ketone for industrial use — List of methods of test³⁾.*

ISO 2501, *Methyl ethyl ketone, isobutyl methyl ketone, and isoamyl ethyl ketone for industrial use — Determination of alcoholic impurities — Volumetric method³⁾.*

ISO 2887, *sec Butyl alcohol, methyl ethyl ketone, isobutyl methyl ketone, isoamyl ethyl ketone, diacetone alcohol, and hexylene glycol for industrial use — Determination of acidity to phenolphthalein — Volumetric method³⁾.*

³⁾ Referred to in the foreword only.

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.